

CANADIAN ANAESTHETISTS' SOCIETY JOURNAL

Volume 12

INDEX OF AUTHORS

- Albert, J.**, see BOIVIN, L.-Ls., jt. auth.
- AUBRY, U., DENIS, R., KEERI-SZANTO, M., and PARENT, M.**, Factors affecting survival of the geriatric patient after major surgery, 510
- AUCHINCLOSS, J. H., JR.**, A new ventilator designed to meet the present-day needs of mechanical aid to ventilation in the treatment of respiratory failure, 11
- Bagwell, E. E.**, see GADSEN, R. H., jt. auth.
- BENNETT, E. H.**, See MARX, G. F., jt. auth.
- BOISVERT, M.**, see DROLET, H., jt. auth.
- BOIVIN, J.-Ls., HOULD, R., et ALBERT, J.**, Elimination des risques d'explosion en anesthésie, 80
- BRINDLE, G. F.**, see GALINDO, A., jt. auth.
- BURFOOT, M. F.**, see WYNANDS, J. E., jt. auth.
- BURNET, J. L.**, Conception nouvelle de l'aménagement d'une salle d'opération, 161
- BYLES, P. H.**, see DOBKIN, A. B., jt. auth.
- Cameron, H., and MACDONALD, C. H. N.**, Electrical fire in the operating room: protective role of the isolated ungrounded circuit, 420
- CARBALLO, A. S.**, Succinylcholine and acetazolamide (Diamox) in anaesthesia for ocular surgery, 486
- CHAN, W. S.**, see SPOEREL, W. E., jt. auth.
- CARLEBOIS, P. A.**, Pre-anaesthetic patient questionnaire, 311
- CHERNIACK, R. M.**, Tracheostomy and its management, 386
- CHMELESKY, I. M.**, see KOVANEFF, V. A., jt. auth.
- CHO, M. H.**, see DOBKIN, A. B., jt. auth.
- see LEE, P. K. Y., jt. auth.
- CLAVET, M.**, see DÉRY, R., jt. auth.
- COHEN, D. D.**, see VASIOFF, N., jt. auth.
- CORFIELD, W. J.**, see MCINTYRE, J. W. R., jt. auth.
- Davidson, G. M.**, see FOLDES, F. F., jt. auth.
- DÉCHÈNE, J.-P.**, Vanillic diethylamide (Ethanivan) and hypoventilation syndrome in thoracic surgery, 173
- see MCCLISH, A., jt. auth.
- DENIS, R.**, see AUBRY, U., jt. auth.
- DÉRY, R., PELLETIER, J., JACQUES, A., CLAVET, M., and HOUDE, J.**, Alveolar collapse induced by denitrogenation, 531
- L'atelectasie de denitrogenation, 545
- Metabolic changes induced in the limb during tourniquet ischaemia, 367
- DESPRÉS, J. P.**, see MCCLISH, A., jt. auth.
- DILLON, J. B.**, see VASIOFF, N., jt. auth.
- DOBKIN, A. B.**, see EVERS, W., jt. auth.
- see LEE, P. K. Y., jt. auth.
- DOBKIN, A. B., BYLES, P. H., and CHO, M. H.**, Neuroleptanalgesics: 3. Effect of innovar-nitrous oxide anaesthesia on blood levels of histamine, serotonin, epinephrine, and norepinephrine, and on urine excretion, 349
- DOBKIN, A. B., and LEE, P. K. Y.**, Neuroleptanalgesics: 1. Effect of Droperidol, Fentanyl, Innovar, Benzquinamide, and Pentazocine on the duration of Thiopental-induced sleep in dogs, 34
- DOBKIN, A. B., LEE, P. K. Y., and BYLES, P. H.**, Neuroleptanalgesics: 2. Laboratory evaluation of combination of analgesics and neuroleptics with nitrous oxide, 39
- DOBKIN, A. B., MALIK, K., and ISRAEL, J. S.**, Double blind study of hydroxyzine, promethazine, secobarbital, and a placebo for preanaesthetic medication, 499
- DODDS, L. C.**, see JENKINS, L. C., jt. auth.
- see MUNROE, J. P., jt. auth.
- DROLET, H., and BOISVERT, M.**, Clinical value of rectal thiopentone in paediatric anaesthesia, 154
- DUNCALF, D.**, see FOLDES, F. F., jt. auth.
- Etsten, B. E.**, see LEVESQUE, P. R., jt. auth.
- EVERS, W., MALIK, K., and DOBKIN, A. B.**, Influence of doxapram hydrochloride on recovery from thiopental anaesthesia, 281
- Foldes, F. F., DAVIDSON, G. M., DUNCALF, D., KUWABARA, S., and SIKER, E. S.**, The respiratory, circulatory and analgesic effects of naloxone-narcotic mixtures in anaesthetized subjects, 608
- Gadsen, R. H., RISINGER, B. H., and BAGWELL, E. E.**, Determination of blood halothane levels by gas chromatography, 90

- GALINDO, A., Hepatic circulation and hepatic function during anaesthesia and surgery, 262
 — Hepatic circulation and hepatic function during anaesthesia and surgery: II. The effect of various anaesthetic agents, 337
- GALINDO, A., MACLEAN, L. D., GILBERT, R. G. B., and BRENDLE, G. F., Hepatic circulation and hepatic function during anaesthesia and surgery: III. Chloroform-induced liver injury, 443
- GARAFALO, M. L., see PIERCE, J. A., *jt. auth.*
- GILBERT, R. G. B., see GALINDO, A., *jt. auth.*
- GOEL, S. B., see GORDON, R. A., *jt. auth.*
- GORDON, R. A., and GOEL, S. B., An evaluation of stellate ganglion block in the treatment of post-traumatic dystrophic disturbances in the upper extremity, 75
- GORDON, R. A., and MORAN, J. H., Studies of pentazocine (WIN-20228): 1: Evaluation as an analgesic in post-operative patients, 331
- GRAVES, H. B., see JENKINS, L. C., *jt. auth.*
 — see MUNROE, J. P., *jt. auth.*
- Hellmann, K., Epidural anaesthesia in obstetrics: A second look at 26,127 cases, 398
- HOUE, J., see DÉRY, R., *jt. auth.*
- HOULD, R., see BOVIN, L.-Ls., *jt. auth.*
- HUMPHRIES, J. E., see LUND, L. O., *jt. auth.*
- Israel, J. S., see DOBKIN, A. B., *jt. auth.*
- Jacques, A., see DÉRY, R., *jt. auth.*
- JENKINS, L. C., DODDS, W. A., and GRAVES, H. B., Clinical, biochemical, and haemodynamic studies in man during refractory hypotension, 1
- JENKINS, L. C., and GRAVES, H. B., Potential hazards of psychoactive drugs in association with anaesthesia, 121
- Keéri-Szanto, M., see AUBRY, U., *jt. auth.*
- KIRKLIN, J. W., see MOFFITT, E. A., *jt. auth.*
- KOVANEFF, V. A., and CHMELESKYI, I. M., L'Influence des troubles de l'hémodynamique sur l'action des myoresolutifs pendant la narcose et l'opération, 475
- KUWABARA, S., see FOLDES, F. F., *jt. auth.*
- Lee, P. K. Y., CHO, M. H., and DOBKIN, A. B., Effect of catecholamine precursors and phenylethylamines on spontaneous activity and on the response to methohexital anaesthesia, 137
 — see DOBKIN, A. B., *jt. auth.*
- LEVESQUE, P. R., LINDSLEY, O. R., and ETSTEN, B. E., Amitriptyline (Elavil): A sedating antidepressant with pressor activity for preoperative medication, 129
- LINDSLEY, O. R., see LEVESQUE, P. R., *jt. auth.*
- LINTON, R. C., WALKER, F. W., and SPOEREL, W. E., Respirator care in a general hospital: A five-year survey, 450
- LOEHNING, R. W., see TAKAORI, M., *jt. auth.*
- LUND, L. O., HUMPHRIES, J. H., and VIRTUE, R. W., Sodium gamma hydroxybutyrate: Laboratory and clinical studies, 379
- McCaughey, T. J., Familial dysautonomia as an anaesthetic hazard, 558
- McCLISH, A., DESPRÉS, J. P., and DÉCHÈNE, J. P., Light halothane anaesthesia without muscle relaxants for atrial defibrillation by external direct-current shocks, 288
- McCUTCHEON, R., Regional anaesthesia for the foot, 465
- MACDONALD, C. H. N., see CAMERON, H., *jt. auth.*
- McFARLAND, J. D., see WYANT, G. M., *jt. auth.*
- McINTYRE, J. W. R., see WALKER, R., *jt. auth.*
 — Effects of phenylephrine during halothane anaesthesia in man, 634
- McINTYRE, J. W. R., CORFIELD, W. J., VOLOSHIN, J., and SJKENNA, O., Cranial application of a pulsed direct electric current and random sound in dogs, 192
- MACKAY, I. M., A compact anaesthetic apparatus for emergency use, 298
- MACLEAN, L. D., see GALINDO, A., *jt. auth.*
- MAHER, F. T., see MOFFITT, E. A., *jt. auth.*
- MALIK, K., see DOBKIN, A. B., *jt. auth.*
 — see EVERS, W., *jt. auth.*
- MARSHALL, B. M., Air embolus in neurosurgical anaesthesia, its diagnosis and treatment, 255
 — see TASKER, R. R., *jt. auth.*
- MARX, G. F., BENNETT, E. J., and ORKIN, L. R., Oral neomycin and respiratory failure, 415
- MOFFITT, E. A., MAHER, F. T., and KIRKLIN, J. W., Effect of cardiopulmonary bypass and haemodilution on some constituents of blood, 458
- MORAN, J. H., see GORDON, R. A., *jt. auth.*
- MUNROE, J. P., DODDS, W. A., and GRAVES, H. B., Anaesthesia for cardiac catheterization and angiocardiology in children, 67
- Orkin, L. R., see MARX, G. F., *jt. auth.*
- Papper, E. M., Selection and management of anaesthesia in those suffering from

- diseases and disorders of the heart, 245
- PARENT, M., see AUBRY, U., jt. auth.
- PELLETIER, J., see DÉRY, R., jt. auth.
- PIERCE, J. A., and GARAFALO, M. L., Anaesthetic management for cardiopulmonary bypass: A review of 200 cases, 179
- PURKISS, I. E., The action of thiethylperazine (Torecan®), a new anti-emetic, compared with perphenazine (Trilafon®), trimethobenzamide (Tigan®), and a placebo in the suppression of post-anaesthetic nausea and vomiting, 592
- Risinger, B. H., see GADSEN, jt. auth.
- Shephard, D. A. E., Harvey Cushing and anaesthesia, 431
- SIKER, E. S., see FOLDES, F. F., jt. auth.
- SJKENNA, O., see MCINTYRE, J. W. R., jt. auth.
- SPOEREL, W. E., and CHAN, W. S., Innovar in surgical anaesthesia, 622
- see LINTON, R. C., jt. auth.
- Takaori, M., and LOEHNING, R. W., Ventricular arrhythmias during halothane anaesthesia: Effect of isoproterenol, aminophylline, and ephedrine, 275
- TASKER, R. R., and MARSHALL, B. M., Analgesia for surgical procedures performed on conscious patients, 29
- Vandam, L. D., The unfavourable effects of prolonged anaesthesia, 107
- VASILOFF, N., COHEN, D. D., and DILLON, J. B., Effective treatment of hiccup with intravenous methylphenidate, 306
- VIRTUE, R. W., see LUND, L. O., jt. auth.
- VOLOSHIN, J., see MCINTYRE, J. W. R., jt. auth.
- Walker, F. W., see LINTON, R. C., jt. auth.
- WALKER, R., and MCINTYRE, J. W., Clinical experiences with a combination of fentanyl and droperidol, 361
- WYANT, G. M., and MCFARLAND, J. D., A clinical and economic comparison of halothane and methoxyflurane anaesthesia, 405
- WYANT, G. M., and ZOERB, D. L., Propanidid—a new barbiturate intravenous anaesthetic, 569
- WYNANDS, J. E., and BURFOOT, M. F., A clinical study of propanidid (FBA 1420), 587
- Zoerb, D. L., see WYANT, G. M., jt. auth.

INDEX OF SUBJECTS

- Acetazolamide** (Diamox), succinylcholine and, in anaesthesia for ocular surgery (Carballo), 486
- Acid-base balance**
 metabolic acidosis causing refractory hypotension, 3
 postoperative findings in patients suffering from refractory hypotension, 4
- Acidosis**, *see* Acid-base balance
- Alveolar**, *see under* Lungs
- Aminophylline**, effect of, on ventricular arrhythmias during halothane anaesthesia (Takaori and Loehning), 275
- Amitriptyline** (Elavil)
 hazards of use with anaesthesia, 123
 a sedating antidepressant with pressor activity for preoperative medication (Levesque, Lindsley, and Etsten), 129
- Anaesthesia**
 apparatus for emergency use (MacKay), 298
 effect on physiology beyond the operative period, 108
 epidural, in obstetrics (Hellmann), 398
 explosive risks, elimination of (Boivin, Hould, and Albert), 80
 for cardiac catheterization and angiocardiology in children (Munroe, Dodds, and Graves), 67
 Harvey Cushing's contribution to (Shepherd), 431
 hepatic circulation and function during (Galindo), 262, 337; (Galindo, Maclean, Gilbert, and Brindle), 443
 induction of, in the patient with familial dysautonomia, 559
 innovar in surgical (Spoerel and Chan), 622
 intravenous, propanidid, a new non-barbiturate for (Wyant and Zoerb), 569
 maintenance of, in the patient with familial dysautonomia, 560
 management: for cardiopulmonary bypass (Pierce and Garofalo), 179; of the patient with familial dysautonomia, 558
 methohexital, effect of catecholamine precursors and phenylethylamines on spontaneous activity and response to (Lee, Cho, and Dobkin), 137
 monitoring, 438
 neurosurgical, air embolus in, diagnosis and treatment (Marshall), 255
 paediatric, evaluation of rectal thiopentone in (Drolet and Boisvert), 154
 potential hazards of psychoactive drugs in association with (Jenkins and Graves), 121
 preanaesthetic medication: double blind study of hydroxyzine, promethazine, secobarbital, and a placebo for (Dobkin, Malik, and Israel), 499; in cardiac patients, 251
 prolonged, unfavourable effects of (Vandam), 107
 regional: 439; for the foot (McCutcheon), 465
 selection and management of, in those suffering from diseases and disorders of the heart (Papper), 245
 use of non-explosive agents to eliminate risks (Boivin, Hould and Albert), 80
- Anaesthetic agents**, effect of on hepatic circulation and function during anaesthesia and surgery (Galindo), 337
see also names of specific agents
- Anaesthetic records**, 431
- Analgesia**, alept *see* Neuroleptanalgesia
- Analgesics**, *see under* names of specific agents or compounds
- Angiocardiology**, in children, anaesthesia for (Munroe, Dodds, and Graves), 67
- Anileridine-thiopental**, used with nitrous oxide, evaluation of, 42
- Antidepressants**, potential hazards of, in association with anaesthesia (Jenkins and Graves), 121; uses of, 121
- Apparatus**
 cardioverter for cardioversion, 288
 compact anaesthetic, for emergency use (McKay), 298
 random-noise generator, used with cranial application of pulsed direct current in dogs, 192
- Atarax®** *see* Hydroxyzine
- Atelectasis**, pulmonary, developing in surgical patients undergoing anaesthesia (Déry *et al.*), 531
- Blood**
 effect of cardiopulmonary bypass and haemodilution on some constituents of (Moffitt, Maher, and Kirklin), 458
 gases, effects of alteration in, on hepatic arterial blood flow, 265
 haemodynamics: alterations, observations during and after refractory hypotension, 6; disorders of, effects of on duration of action muscle relaxants during operation (Kovaneff and Chmeleskyi), 475; hepatic, effect of anaesthetic agents on

- (Galindo), 337; hepatic under surgical conditions, 263; studies in man during refractory hypotension (Jenkins, Dodds, and Graves), 1
- halothane levels, determination by gas chromatography (Gadsden, Risinger, and Bagwell), 90
- histamine, serotonin, epinephrine, and norephrine levels, during innovar-nitrous oxide anaesthesia (Dobkin, Byles, and Cho), 349
- peripheral venous, metabolic changes induced by tourniquet ischaemia, 371
- Bloodpressure, measurement during anaesthesia, 435
- Bloodvolume, deficit as a cause of refractory hypotension, 3; effects of anaesthetics on, 110
- Book Reviews
- Clinical Anesthesia: Anesthesia and the Circulation*, ed. by Leonard Fabian, 198
- Drug Dosage in Laboratory Animals: A Handbook*, C. D. Barnes and L. G. Eltherington, 427
- Drugs in Anaesthetic Practice*, 2nd ed., F. G. Wood-Smith and H. C. Stewart, 314
- Effects of Anesthetics on the Circulation*, ed. by H. L. Price and T. J. Cohen, 197
- The Hematocrit in Clinical Practice*, S. N. Albert, S. C. Jain, Jo Shibuya, and C. A. Albert, 642
- Infusions Probleme in der Chirurgie* (Problems in Intravenous Therapy in Surgery) U. F. Gruber and M. Allgower, 523
- Instrumentation and Anaesthesia*, ed. by Wm. H. L. Dornette, 197
- Die Intravenöse Kurznaarkose mit dem neuen Phenocyessigsäure Derivat Propanidid* (Short Intravenous Anaesthesia with the New Phenoxy-acetic Derivative Propanidid) K. Horatz, R. Frey and M. Zindler, 523
- 40 Jahre Narkose Forschung* (40 Years of Research in Anaesthesia), Hans Killian, 522
- Narcotics and Narcotic Antagonists*, Francis F. Fouldes, Mark Swerdlow, and Ephraim S. Siker, 99
- Pharmacology of the Central Nervous System*, British Medical Bulletin, Vol. 21, No. 1 (January 1965), 642
- Physiology and Biophysics of the Circulation*, A. C. Burton, 521
- Physiology of Respiration*, J. H. Comroe, 521
- A Synopsis of Anaesthesia*, J. A. Lee and R. S. Atkinson, 642
- Technische Sicherheitsprobleme im Operationstrakt* (The Technical Safety Problems in the Operating Suite), H. J. Harder, 524
- Year Book of Anaesthesia* (1964-65), ed. by Stuart C. Cullen, 314
- Canadian Anaesthetists' Society**, annual meeting programme, 324; membership list, 202
- Canadian Oxygen prize, 106, 244, 330, 430, 530, 649
- Carbon tetrachloride, effect on hepatic haemodynamics, 340
- Cardiac, *see* Heart
- Cardiopulmonary bypass, *see under* Oxygenator
- Catecholamine precursors, effect of, on spontaneous activity and response to methohexital anaesthesia (Lee, Cho, and Dobkin), 137
- Chloroform
- effect on hepatic haemodynamics, 339
- liver injury induced by (Galindo, Maclean, Gilbert, and Brindle), 443
- Chlorpromazine, in control of postoperative complications in the patient with familial dysautonomia, 564
- Chlorprothixene (Taractan®, Tarsan®), analgesic and neuroleptic properties, 40
- Chromatography, gas, determination of blood halothane levels by (Gadsden, Risinger, and Bagwell), 90
- Circulatory system, effects of oxymorphone, morphine, and meperidine administered alone and together with naloxone in anaesthetized patients (Foldes), 608
- Cushing, Harvey, and Anaesthesia (Shephard), 431
- Cyclazocine, analgesic potency of, 39
- D-tubocurarine**, metabolic acidosis as a cause of intensity and duration of action, 475
- Deanor, *see* Dimethylaminoethanol
- Desoxyn, *see* Methamphetamine
- Dexedrine, *see* Dextroamphetamine
- Dextroamphetamine (Dexedrine), hazards of use with anaesthesia, 123
- Diamox, *see* Acetazolamide
- Digitalis, use of preoperatively in patients suffering from congestive heart failure, 250
- Dimethylaminoethanol (Deanor), hazards of use with anaesthesia, 123
- Doxapram hydrochloride, influence on recovery from thiopental anaesthesia (Evers, Malik, and Dobkin), 281
- Droperidol, analgesic action in surgery performed on conscious patients, 30;

- combined with fentanyl, clinical experiences (Walker and McIntyre), 361
- Dysautonomia
 familial: as an anaesthetic hazard (McCaughey), 558; nature of 561
- Dystrophy, post-traumatic in upper extremity, evaluation of stellate ganglion block in treatment (Gordon and Goel), 75
- Elavil: *see* Amitriptyline
- Electric current
 direct pulsed, cranial application for anaesthetic purposes and random sounds in dogs (McIntyre, Corfield, Voloshin, and Sjkenna), 192
 direct vs. alternation in production of shocks in treatment of cardiac arrhythmias, 289
- Electricity, fire in the operating room: protective role of the isolated ungrounded circuit (Cameron and Macdonald), 420
- Electrolyte balance
 effect of anaesthesia on, 113
 postoperative findings in patients suffering from refractory hypotension, 4
- Electroshock therapy, use of propanidid in, 573, 581
- Embolus, air, in neurosurgical anaesthesia, diagnosis and treatment (Marshall), 255
- Emergencies, compact anaesthetic apparatus for use in (MacKay), 298
- Ephedrine, effect of, on ventricular arrhythmias during halothane anaesthesia (Takaori and Loehning), 275
- Epidural anaesthesia, *see under* Anaesthesia
- Epinephrine, effect of innovar-nitrous oxide anaesthesia on blood levels of (Dobkin, Byles, and Cho), 349
- Ethamivan, *see* Vanillic diethylamide
- Ether, effect on hepatic haemodynamics, 340
- Eutonyl, *see* Pargyline
- Extremities
 lower, regional anaesthesia for the foot (McCutcheon), 465
 metabolic changes induced in the limb during tourniquet ischaemia (Déry, Pelletier, Jacques, Clavet, and Houde), 367
 upper, post-traumatic dystrophy, evaluation of stellate ganglion block in treatment (Gordon and Goel), 75
- Eyes
 intraocular pressure, physiology and pharmacology of, 493
 surgery, succinylcholine and acetazolamide (Diamox) in anaesthesia for ocular surgery (Carballo), 486
- Fentanyl
 combined with driperidol: clinical experiences (Walker and McIntyre), 361
 used with nitrous oxide, evaluation of, 42
 combined with thiopental, used with nitrous oxide, evaluation of, 42
- Fluid balance, effect of anaesthesia on, 113
- Foot, *see under* Extremities, lower
- Functional Residual Capacity, *see under* Lungs
- Callamine, metabolic acidosis as a cause of intensity and duration of action, 475
- Cases, chromatography, determination of blood halothane levels by (Gadsden, Risinger, and Bagwell), 90
- Haemodilution, effect of, on some constituents of blood (Moffitt, Maher, and Kirklin), 458
- Haemodynamics, *see under* Blood
- Haemorrhage, effect of, on hepatic arterial blood flow, 267
- Haloperidol, analgesic action in surgery performed on conscious patients, 30
- Halothane
 anaesthesia, ventricular arrhythmias during, effect of isoproterenol, aminophylline, and ephedrine (Takaori and Loehning), 275
 and air, use in cardiac catheterization and angiocardiology in children, 67
 and methoxyflurane anaesthesia, clinical and economic comparison (Wyant and McFarlane), 405
 and nitrous oxide, use in cardiac catheterization in children, 67
 blood levels, determination of by gas chromatography (Gadsden, Risinger, and Bagwell), 90
 effect of phenylphrine during halothane anaesthesia (McIntyre), 634
 effect on hepatic haemodynamics, 343
 for light anaesthesia without muscle relaxants for atrial defibrillation by external direct-current shocks (McClish, Després, and Déchéne), 288
- Haloxair, new anaesthetic apparatus, 298
- Heart
 anaesthetic management of patients suffering from diseases and disorders of (Papper), 245
 atrial fibrillation, light halothane anaesthesia without muscle relaxants, by external direct-current shocks (McClish, Després, and Déchéne), 288

- cardiac arrhythmias, conversion into sinus rhythm by external direct-current shocks, 288
- cardiac catheterization in children, anaesthesia for (Munroe, Dodds, and Graves), 67
- ventricular arrhythmias during halothane anaesthesia: effect of isoproterenol, aminophylline and ephedrine (Takaori and Loehning), 275
- Hepatic, *see under* Liver
- Hiccup, treatment with intravenous methylphenidate (Vasiloff, Cohen, and Dillon), 306
- Histamine, effect of innovar-nitrous oxide anaesthesia on blood levels of (Dobkin, Byles and Cho), 439
- Hydroxyzine (Atarax®, Vistaril®), compared with promethazine, secobarbital, and a placebo for preanaesthetic medication (Dobkin, Malik, and Israel), 499
- Hypofibrinogenaemia, a complication of epidural anaesthesia in obstetrics, 403
- Hyponatraemia, causing refractory hypotension, 3
- Hypotension, refractory, clinical, biochemical and haemodynamic studies in man during (Jenkins, Dodds, and Graves), 1
- Hypoventilation syndrome, vanillic diethylamide (Ethamivan) and, in thoracic surgery (Dechêne), 173
- Imipramine (Tofranil), hazards of use with anaesthesia, 123
- Infection, severe, causing refractory hypotension, 3
- Innovar
in surgical anaesthesia (Spoerel and Chan), 622
technique of nitrous-oxide Innovar anaesthesia, 623
- Innovar-nitrous-oxide anaesthesia, effect of, on blood levels of histamine, serotonin, epinephrine, and norepinephrine and on urine excretion (Dobkin, Byles, and Cho), 349
- Iproniazid (Marsilid), hazards of use with anaesthesia, 122
- Ischaemia, tourniquet, metabolic changes induced in the limb during (Déry, Pelletier, Jacques, Clavet, and Houde), 367
- Isocarboxazid (Marplan), hazards of use with anaesthesia, 122
- Isoproterenol, effect of, on ventricular arrhythmias during halothane anaesthesia (Takaori and Loehning), 275
- Letters to the Editor, 321, 643, 644
- Lingocaine, for regional anaesthesia for the foot (McCutcheon), 470
- Liver
chloroform-induced injury (Galindo, Maclean, Gilbert, and Brindle), 443
circulation and function during anaesthesia and surgery (Galindo, Maclean, Gilbert, and Brindle), 443
hepatic circulation and function during anaesthesia and surgery (Galindo), 262, 337
- Lungs
alveolar collapse induced by denitrogenation (Déry *et al.*), 531
Functional Residual Capacity (FRC), measurement of, in the operating room, technique, 533
- Marplan, *see* Isocarboxazid
- Marsilid, *see* Iproniazid
- Medical literature, value of reading early contributions (Webb, letter to the editor), 321
- Meetings, 104, 243, 328, 428, 525, 648
- Meperidine
administered alone and with naloxone, respiratory, circulatory and analgesic effects of, in anesthetized patients (Foldes *et al.*), 608
and thiopental, used with nitrous oxide, evaluation of, 42
- Metabolism
disorders of, effect of, on duration of action of muscle relaxants during operation (Kovaneff and Chmelesky), 475
effect of anaesthesia on, 115
- Methamphetamine (Desoxyn), hazards of use with anaesthesia, 123
- Methohexital
anaesthesia, effect of catecholamine precursors and phenylethylamines on spontaneous activity and response to (Lee, Cho, and Dobkin), 137
- Methotrimeprazine (levomepromazine, Nozinan®)
analgesia and neuroleptic properties, 40
with thiopental, used with nitrous oxide, evaluation of, 42
- Methoxyflurane, and halothane anaesthesia, clinical and economic comparison of (Wyant and McFarland), 405
- Methylphenidate
intravenous, in treatment of hiccup (Vasiloff, Cohen, and Dillon), 306
- Morphine hydrochloride, administered alone and with naloxone, respiratory, circulatory and analgesic effects on anesthetized patients (Foldes *et al.*), 608

- Muscle relaxants, non-depolarizing, factors causing increase in intensity of action during operation (Kovaneff and Chmielewski), 475
- Myocardium, failure, causing refractory hypotension in surgical patients, 3
- Naloxone, combined with narcotics, respiratory, circulatory, and analgesic effects of, in anaesthetized patients (Foldes *et al.*), 608
- Narcotics, analgesics, and neuroleptics combined with nitrous oxide, evaluation of (Dobkin, Lee, and Byles), 39
- Nardil, *see* Phenelzine
- Neomycin, oral, and respiratory failure (Marx, Bennett, and Orkin), 415
- Neuroleptanalgesia
 effect of innovar-nitrous-oxide anaesthesia on blood levels of histamine, serotonin, epinephrine and norephrine, and on urine excretion (Dobkin, Byles, and Cho), 349
 for surgical procedures performed on conscious patients (Tasker and Marshall), 29
 laboratory evaluation of combination of analgesics and neuroleptics with nitrous oxide (Dobkin, Lee, and Byles), 39
 technique of, 29
- Neurosurgery, anaesthesia, air embolus in, diagnosis and treatment (Marshall), 25
- Newsletter
 Alberta division, 101, 646
 British Columbia Division, 100, 645
 Manitoba Division, 102, 646
 Ontario Division, 102, 646
 Quebec Division, 103, 199, 426
 Saskatchewan Division, 101, 199
- Nialamide (Niamid), hazards of use with anaesthesia, 122
- Niamid, *see* Nialamide
- Nitrogen
 denitrogenation causing alveolar collapse (Déry *et al.*), 531
 importance of, in the prophylaxis of miliary atelectasis, 540
- Nitrous oxide
 and halothane, use in cardiac catheterization in children, 67
 effect on hepatic haemodynamics, 343
 evaluation of combination of analgesics and neuroleptics with (Dobkin, Lee, and Byles), 39
- Norepinephrine, effect of innovar-nitrous-oxide anaesthesia on blood levels of (Dobkin, Byles, and Cho), 349
- Obituaries
 Bourne, Wesley, 315
 Létienne, Réé, 317
- Rémy, J.-Albert, 318
- Rosen, Nathan, 319
- Ross, Graham Monteith, 319
- Obstetrics, epidural anaesthesia in (Hellmann), 398; complications, 400; contra-indications, 403
- Ocular, *see* under Eyes
- Old age, factors effecting survival after major surgery in (Aubry, Dennis, Keéri-Szanto, and Parent), 510
- Operating room
 electrical fire in, protective role of the isolated ungrounded circuit (Cameron and Macdonald), 420
 new concept in arrangement, to meet new changes in techniques and equipment (Brunet), 161
- Oxygen
 effect of breathing during anaesthesia, 535
 mixed with nitrogen, effect of breathing during anaesthesia, 536
- Oxygenator
 anaesthetic management for cardiopulmonary bypass (Pierce and Garofalo), 179
 effect of cardiopulmonary bypass and haemodilution on some constituents of blood (Moffitt, Maher and Kirklin), 458
- Oxymorphone, administered alone and with naloxone, respiratory, circulatory and analgesic effect of, in anaesthetized patients (Foldes *et al.*), 608
- Paralysis, tourniquet, metabolic changes induced by tourniquet ischaemia as a cause, 374
- Pargyline (Eutonyl), hazards of use with anaesthesia, 122
- Parnate, *see* Tranlycypromine
- Parstelin, *see* Tranlycypromine
- Pentazocine (WIN-20228), analgesic potency of, 39
 evaluation as an analgesic in postoperative patients (Gordon and Moran), 331
 side effects, 333
 with thiopental used with nitrous oxide, evaluation of, 42
- Perphenazine (Trilafon®), compared with thiethylperazine in the suppression of postanaesthetic nausea and vomiting (Purkis), 595
- Phenelzine (Nardil), hazards of use with anaesthesia, 122
- Phenergan®, *see* Promethazine
- Phenoperidine, analgesic action in surgery performed on conscious patients, 29
- Phenylephrine, effect of, during halothane anaesthesia in man (McIntyre), 634
- Phenylethylamines, effect of, on spontaneous

- activity and response to methohexital anaesthesia (Lee, Cho, and Dobkin), 137
- Pre-anaesthesia**
 medication of the patient with familial dysautonomia, 559
 patient questionnaire (Charlebois), 311
- Preoperative, see under Surgery**
- Promazine (Sparine®)**, analgesic and neuroleptic properties, 40
- Promethazine (Phenergan®)**, compared with hydroxyzine, secobarbital, and a placebo for preanaesthetic medication (Dobkin, Malik, and Israel), 499
- Propanidid**
 chemistry of, 571, 587
 clinical study (Wyands and Burfoot), 587
 complications of use, 591
 effect on: cardiovascular system, 590; central nervous system, 589; metabolism, 591; respiratory system, 591
 in electroshock therapy, 573, 581
 a new non-barbiturate intravenous anaesthetic (Wyant and Zoerb), 569
- Psychoactive drugs, see Antidepressants**
- Questionnaire, preanaesthetic patient (Charlebois)**, 311
- Respiration**
 effect of anaesthesia on, 112
 oral neomycin and respiratory failure (Marx, Bennett, and Orkin), 415
 respirator care in a general hospital (Linton, Walker, and Spoerel), 450
 respiratory failure, ventilator as a mechanical aid in treatment of (Auchincloss), 11
 ventilator, designed as a mechanical aid to ventilation in treatment of respiratory failure (Auchincloss), 11
- Respiratory system**
 effect: of Innovar on, 629; of oxymorphone, morphine, and meperidine, administered alone and together with naloxone in anaesthetized patients (Foldes *et al.*), 608
- Riley-Day syndrome, see Dysautonomia**
- Royal College of Physicians and Surgeons of Canada, examination results**, 200
- Secobarbital**, compared with hydroxyzine, promethazine, and a placebo for preanaesthetic medication (Dobkin, Malik, and Israel), 499
- Serotonin**, effect of Innovar-nitrous-oxide anaesthesia on blood levels of (Dobkin, Byles, and Cho), 349
- Shock**
 chemical agents in treatment of, 7
 post-surgical, contribution of anaesthesia to, 109
 treatment of, in cases of refractory hypotension (Jenkins, Dodds, and Graves), 1
- Sodium gamma hydroxybutyrate**, laboratory and clinical studies (Lund, Humphries, and Virtue), 379
- Sparine®, see Promazine**
- Stellate ganglion block**, evaluation of, in treatment of post-traumatic dystrophic disturbances in the upper extremity (Gordon and Goel), 75
- Succinylcholine**, and acetazolamide (Diamox), in anaesthesia for ocular surgery (Carballo), 486
- Supine hypotensive syndrome**, a complication of epidural anaesthesia in obstetrics, 402
- Surgery**
 hepatic circulation and function during anaesthesia and (Galindo), 262, 337; (Galindo, Maclean, Gilbert, and Brindle), 443
 Innovar in anaesthesia for (Spoerel and Chan), 622
 major, in the geriatric patient, factors effecting survival (Aubry, Dennis, Keéro-Szanto, and Parent), 510
 neuroleptanalgesia for procedures on conscious patients (Tasker and Marshall), 29
 postoperative use of pentazocine (WIN-20228) as an analgesic (Gordon and Moran), 331
 postsurgical shock, contribution of anaesthesia to, 109
 preoperative medication with amitriptyline (Elavil), a sedating antidepressant with pressor activity (Levesque, Lindsley, and Etsten), 129
 stereotactic operations with modified neuroleptanalgesia, 30
see also under names of specific organs and procedures
- Sympathetic block**, effect on hepatic haemodynamics, 343
- Taractan®, see Chlorprothixene**
- Tarasan®, see Chlorprothixene**
- Thiethylperazine (Torecan®)**, compared with perphenazine, trimethobenzamide, and a placebo in suppression of postanaesthetic nausea and vomiting (Purkis), 595
- Thiopental (Pentothal)**
 anaesthesia, influence of doxapram hydrochloride on recovery from (Evers, Malik, and Dobkin), 281
 effect on hepatic haemodynamics, 343

- Thiopentone, rectal, evaluation of in paediatric anaesthesia (Drolet and Boisvert), 154
- Thorax, surgery, vanillic diethylamide (Ethamivan) and the hypoventilation syndrome in (Dechêne), 173
- Tigan®, *see* Trimethobenzamide
- Tofranil, *see* Imipramine
- Torecan®, *see* Thiethylperazine
- Tourniquet, ischaemia, metabolic changes induced in the limb during (Déry, Pelletier, Jacques, Clavet, and Houde), 367
- Tracheostomy
 complications of, 387
 indications for, 386
 management (Cherniack), 386; letters to editor 643, 644
- Tranlycypromine (Parnate, Parstelin, Parstelin S-2), hazards of use with anaesthesia, 122
- Trauma, of hepatic hilus, effect on hepatic artery blood flow, 268
- Trilafon®, *see* Perphenazine
- Trimethobenzamide (Tigan®), compared with thiethylperazine in suppression of postanaesthetic nausea and vomiting (Purkis), 595
- Urine, effect of Innovar-nitrous-oxide anaesthesia on excretion of (Dobkin, Byles, and Cho), 349
- Vanillac diethylamide (Ethamivan) and the hypoventilation syndrome in thoracic surgery (Dechêne), 173
 chemistry of, 173
 pharmacology of, 173
- Vascular system, complications following extensive surgery causing refractory hypotension, 4
- Vasopressor drugs, effects of administration of, on hepatic artery blood flow, 268
- Ventilation, *see under* Respiration
- Ventilator, designed as a mechanical aid to ventilation in the treatment of respiratory failure (Auchincloss), 11
- Vistaril®, *see* Hydroxyzine
- Vomiting, postanaesthetic, action of thiethylperazine, a new anti-emetic, compared with perphenazine, trimethobenzamide, and a placebo in suppression of (Purkis), 595
- WIN-20228, *see* Pentazocine
- World Federation of Societies of Anaesthesiologists (News Letter), 100

